

## Vinkeländfräsar FGCN

Ø	Aluminium		Stål 50Kg/mm <sup>2</sup>		Stål 70Kg/mm <sup>2</sup>	
	Hastighet	Matning	Hastighet	Matning	Hastighet	Matning
16	1850	336	615	110	305	57
20	1350	324	500	110	255	55
25	1150	270	380	80	190	47
32	920	375	300	125	155	64

Ø	Stål 90Kg/mm <sup>2</sup>		Stål 130Kg/mm <sup>2</sup>	
	Hastighet	Matning	Hastighet	Matning
16	215	40	160	20
20	180	38	125	15
25	135	30	100	16
32	100	40	80	16

# GB-Fräsar

IMPORT  
**S·A·B**  
EXPORT

## Svenska Agentur Bolaget

Sporregatan 25, 213 77 Malmö. Tel 040-22 25 26. Fax 040-21 17 15.

Hemsida [www.sab.nu](http://www.sab.nu) – E-post [info@sab.nu](mailto:info@sab.nu)

B 101-10

2.03